




# Brock Wide-Corrugation Commercial Bins/Silos

		Maximum Capacity†					Fill Height	
		(Peaked) Storage		Eave Height				
Diameter		Model Number	Bushels	M <sup>3</sup>	Feet/ Inches	Meters	Feet/ Inches	Meters
Feet	Meters							
15	4.6	1522	3,474	116	22'-1"	6.73	26'-0"	7.92
15	4.6	1526	4,019	134	25'-9"	7.85	29'-8"	9.04
15	4.6	1529	4,563	152	29'-5"	8.97	33'-5"	10.18
15	4.6	1533	5,108	170	33'-1"	10.08	37'-0"	11.28
15	4.6	1537	5,652	188	36'-9"	11.20	40'-8"	12.41
15	4.6	1540	6,197	206	40'-5"	12.32	44'-5"	13.53
15	4.6	1544	6,741	224	44'-1"	13.44	48'-0"	14.63
15	4.6	1548	7,286	242	47'-9"	14.55	51'-8"	15.76
15	4.6	1551	7,830	260	51'-5"	15.67	55'-5"	16.89
15	4.6	1555	8,375	278	55'-1"	16.79	59'-0"	17.98
15	4.6	1559	8,920	297	58'-9"	17.91	62'-8"	19.11
18	5.5	1822	5,062	168	22'-1"	6.73	26'-11"	8.20
18	5.5	1826	5,847	194	25'-9"	7.85	30'-6"	9.30
18	5.5	1829	6,631	220	29'-5"	8.97	34'-2"	10.42
18	5.5	1833	7,416	247	33'-1"	10.08	37'-11"	11.55
18	5.5	1837	8,200	273	36'-9"	11.20	41'-6"	12.65
18	5.5	1840	8,984	299	40'-5"	12.32	45'-2"	13.78
18	5.5	1844	9,769	325	44'-1"	13.44	48'-11"	14.90
18	5.5	1848	10,553	351	47'-9"	14.55	52'-6"	16.00
18	5.5	1851	11,338	377	51'-5"	15.67	56'-2"	17.13
18	5.5	1855	12,122	403	55'-1"	16.79	59'-11"	18.26
18	5.5	1859	12,907	429	58'-9"	17.91	63'-6"	19.35
18	5.5	1862	13,691	455	62'-5"	19.02	67'-2"	20.48
18	5.5	1866	14,476	481	66'-1"	20.14	70'-11"	21.61
18	5.5	1870	15,260	507	69'-9"	21.26	74'-6"	22.71
21	6.4	2122	6,970	232	22'-1"	6.73	27'-8"	8.43
21	6.4	2126	8,038	267	25'-9"	7.85	31'-5"	9.58
21	6.4	2129	9,106	303	29'-5"	8.97	35'-1"	10.70
21	6.4	2133	10,174	338	33'-1"	10.08	38'-8"	11.80
21	6.4	2137	11,242	374	36'-9"	11.20	42'-5"	12.92
21	6.4	2140	12,310	409	40'-5"	12.32	46'-1"	14.05
21	6.4	2144	13,378	445	44'-1"	13.44	49'-8"	15.15
21	6.4	2148	14,446	480	47'-9"	14.55	53'-5"	16.28
21	6.4	2151	15,515	516	51'-5"	15.67	57'-1"	17.40
21	6.4	2155	16,583	551	55'-1"	16.79	60'-8"	18.50
21	6.4	2159	17,651	587	58'-9"	17.91	64'-5"	19.63


# Brock Wide-Corrugation Commercial Bins/Silos

		Maximum Capacity†					Fill Height	
		(Peaked) Storage		Eave Height				
Diameter		Model Number	Bushels	M <sup>3</sup>	Feet/ Inches	Meters	Feet/ Inches	Meters
Feet	Meters							
21	6.4	2162	18,719	622	62'-5"	19.02	68'-1"	20.76
21	6.4	2166	19,787	658	66'-1"	20.14	71'-8"	21.85
21	6.4	2170	20,855	693	69'-9"	21.26	75'-5"	22.98
21	6.4	2173	21,923	729	73'-5"	22.38	79'-1"	24.11
21	6.4	2177	22,991	764	77'-1"	23.50	82'-8"	25.21
21	6.4	2181	24,060	800	80'-9"	24.61	86'-5"	26.33
21	6.4	2184	25,129	835	84'-5"	25.8	90'-1"	27.46
24	7.3	2422	9,206	306	22'-1"	6.73	28'-7"	8.71
24	7.3	2426	10,602	352	25'-9"	7.85	32'-4"	9.86
24	7.3	2429	11,997	399	29'-5"	8.97	35'-11"	10.94
24	7.3	2433	13,392	445	33'-1"	10.08	39'-7"	12.07
24	7.3	2437	14,788	492	36'-9"	11.20	43'-4"	13.20
24	7.3	2440	16,183	538	40'-5"	12.32	46'-11"	14.30
24	7.3	2444	17,579	584	44'-1"	13.44	50'-7"	15.42
24	7.3	2448	18,974	631	47'-9"	14.55	54'-4"	16.55
24	7.3	2451	20,370	677	51'-5"	15.67	57'-11"	17.65
24	7.3	2455	21,765	724	55'-1"	16.79	61'-7"	18.78
24	7.3	2459	23,161	770	58'-9"	17.91	65'-4"	19.90
24	7.3	2462	24,556	816	62'-5"	19.02	68'-11"	21.00
24	7.3	2466	25,952	863	66'-1"	20.14	72'-7"	22.13
24	7.3	2470	27,347	909	69'-9"	21.26	76'-4"	23.26
24	7.3	2473	28,743	956	73'-5"	22.38	79'-11"	24.35
24	7.3	2477	30,138	1,002	77'-1"	23.50	83'-7"	25.48
24	7.3	2481	31,534	1,048	80'-9"	24.61	87'-4"	26.61
24	7.3	2484	32,929	1,095	84'-5"	25.73	90'-11"	27.71
24	7.3	2488	34,325	1,141	88'-1"	26.85	94'-7"	28.83
27	8.2	2722	11,781	392	22'-1"	6.73	29'-6"	8.99
27	8.2	2726	13,548	450	25'-9"	7.85	33'-1"	10.08
27	8.2	2729	15,314	509	29'-5"	8.97	36'-10"	11.22
27	8.2	2733	17,081	568	33'-1"	10.08	40'-6"	12.34
27	8.2	2737	18,847	627	36'-9"	11.20	44'-1"	13.44
27	8.2	2740	20,614	685	40'-5"	12.32	47'-10"	14.57
27	8.2	2744	22,380	744	44'-1"	13.44	51'-6"	15.70
27	8.2	2748	24,147	803	47'-9"	14.55	55'-1"	16.79
27	8.2	2751	25,913	861	51'-5"	15.67	58'-10"	17.92
27	8.2	2755	27,680	920	55'-1"	16.79	62'-6"	19.05


# Brock Wide-Corrugation Commercial Bins/Silos

		Maximum Capacity†						
		(Peaked) Storage		Eave Height		Fill Height		
Diameter		Model Number	Bushels	M <sup>3</sup>	Feet/ Inches	Meters	Feet/ Inches	Meters
Feet	Meters							
27	8.2	2759	29,446	979	58'-9"	17.91	66'-1"	20.15
27	8.2	2762	31,213	1,038	62'-5"	19.02	69'-10"	21.28
27	8.2	2766	32,979	1,096	66'-1"	20.14	73'-6"	22.40
27	8.2	2770	34,746	1,155	69'-9"	21.26	77'-1"	23.50
27	8.2	2773	36,512	1,214	73'-5"	22.38	80'-10"	24.63
27	8.2	2777	38,279	1,273	77'-1"	23.50	84'-6"	25.76
27	8.2	2781	40,045	1,331	80'-9"	24.61	88'-1"	26.85
27	8.2	2784	41,812	1,390	84'-5"	25.73	91'-10"	27.98
27	8.2	2788	43,578	1,449	88'-1"	26.85	95'-6"	29.11
30	9.1	3022	14,704	489	22'-1"	6.73	30'-4"	9.25
30	9.1	3026	16,886	561	25'-9"	7.85	34'-0"	10.36
30	9.1	3029	19,067	634	29'-5"	8.97	37'-8"	11.49
30	9.1	3033	21,248	706	33'-1"	10.08	41'-4"	12.59
30	9.1	3037	23,429	779	36'-9"	11.20	45'-0"	13.72
30	9.1	3040	25,610	851	40'-5"	12.32	48'-8"	14.84
30	9.1	3044	27,792	924	44'-1"	13.44	52'-4"	15.94
30	9.1	3048	29,973	996	47'-9"	14.55	56'-0"	17.07
30	9.1	3051	32,154	1,069	51'-5"	15.67	59'-8"	18.20
30	9.1	3055	34,335	1,141	55'-1"	16.79	63'-4"	19.29
30	9.1	3059	36,517	1,214	58'-9"	17.91	67'-0"	20.42
30	9.1	3062	38,698	1,287	62'-5"	19.02	70'-8"	21.55
30	9.1	3066	40,879	1,359	66'-1"	20.14	74'-4"	22.65
30	9.1	3070	43,060	1,432	69'-9"	21.26	78'-0"	23.77
30	9.1	3073	45,241	1,504	73'-5"	22.38	81'-8"	24.90
30	9.1	3077	47,423	1,577	77'-1"	23.50	85'-4"	26.00
30	9.1	3081	49,604	1,649	80'-9"	24.61	89'-0"	27.13
30	9.1	3084	51,785	1,722	84'-5"	25.73	92'-8"	28.25
30	9.1	3088	53,966	1,794	88'-1"	26.85	96'-4"	29.35
33	10.1	3322	17,985	598	22'-1"	6.73	31'-2"	9.50
33	10.1	3326	20,625	686	25'-9"	7.85	34'-11"	10.64
33	10.1	3329	23,264	773	29'-5"	8.97	38'-6"	11.73
33	10.1	3333	25,904	861	33'-1"	10.08	42'-2"	12.86
33	10.1	3337	28,543	949	36'-9"	11.20	45'-11"	13.99
33	10.1	3340	31,183	1,037	40'-5"	12.32	49'-6"	15.09
33	10.1	3344	33,823	1,124	44'-1"	13.44	53'-2"	16.22
33	10.1	3348	36,462	1,212	47'-9"	14.55	56'-11"	17.34


# Brock Wide-Corrugation Commercial Bins/Silos

		Maximum Capacity†					Fill Height	
		(Peaked) Storage		Eave Height				
Diameter		Model Number	Bushels	M <sup>3</sup>	Feet/ Inches	Meters	Feet/ Inches	Meters
Feet	Meters							
33	10.1	3351	39,102	1,300	51'-5"	15.67	60'-6"	18.44
33	10.1	3355	41,742	1,388	55'-1"	16.79	64'-2"	19.57
33	10.1	3359	44,381	1,475	58'-9"	17.91	67'-11"	20.70
33	10.1	3362	47,021	1,563	62'-5"	19.02	71'-6"	21.79
33	10.1	3366	49,660	1,651	66'-1"	20.14	75'-2"	22.92
33	10.1	3370	52,300	1,739	69'-9"	21.26	78'-11"	24.05
33	10.1	3373	54,940	1,827	73'-5"	22.38	82'-6"	25.15
33	10.1	3377	57,579	1,914	77'-1"	23.50	86'-2"	26.27
33	10.1	3381	60,219	2,002	80'-9"	24.61	89'-11"	27.40
33	10.1	3384	62,859	2,090	84'-5"	25.73	93'-6"	28.50
33	10.1	3388	65,498	2,178	88'-1"	26.85	97'-2"	29.63
36	11.0	3622	21,633	719	22'-1"	6.73	32'-0"	9.75
36	11.0	3626	24,774	824	25'-9"	7.85	35'-8"	10.87
36	11.0	3629	27,916	928	29'-5"	8.97	39'-5"	12.01
36	11.0	3633	31,058	1,033	33'-1"	10.08	43'-0"	13.11
36	11.0	3637	34,199	1,137	36'-9"	11.20	46'-8"	14.23
36	11.0	3640	37,341	1,241	40'-5"	12.32	50'-5"	15.36
36	11.0	3644	40,483	1,346	44'-1"	13.44	54'-0"	16.46
36	11.0	3648	43,625	1,450	47'-9"	14.55	57'-8"	17.59
36	11.0	3651	46,766	1,555	51'-5"	15.67	61'-5"	18.71
36	11.0	3655	49,908	1,659	55'-1"	16.79	65'-0"	19.81
36	11.0	3659	53,050	1,764	58'-9"	17.91	68'-8"	20.94
36	11.0	3662	56,191	1,868	62'-5"	19.02	72'-5"	22.07
36	11.0	3666	59,333	1,973	66'-1"	20.14	76'-0"	23.16
36	11.0	3670	62,475	2,077	69'-9"	21.26	79'-8"	24.29
36	11.0	3673	65,617	2,181	73'-5"	22.38	83'-5"	25.42
36	11.0	3677	68,758	2,286	77'-1"	23.50	87'-0"	26.52
36	11.0	3681	71,900	2,390	80'-9"	24.61	90'-8"	27.65
36	11.0	3684	75,042	2,495	84'-5"	25.73	94'-5"	28.77
36	11.0	3688	78,183	2,599	88'-1"	26.85	98'-0"	29.87
42	12.8	4222	30,066	1,000	22'-1"	6.73	33'-10"	10.31
42	12.8	4226	34,343	1,142	25'-9"	7.85	37'-6"	11.43
42	12.8	4229	38,620	1,284	29'-5"	8.97	41'-2"	12.56
42	12.8	4233	42,897	1,426	33'-1"	10.08	44'-10"	13.66
42	12.8	4237	47,174	1,568	36'-9"	11.20	48'-6"	14.78
42	12.8	4240	51,451	1,711	40'-5"	12.32	52'-2"	15.91


# Brock Wide-Corrugation Commercial Bins/Silos

		Maximum Capacity†					Fill Height	
		(Peaked) Storage		Eave Height				
Diameter		Model Number	Bushels	M <sup>3</sup>	Feet/ Inches	Meters	Feet/ Inches	Meters
Feet	Meters							
42	12.8	4244	55,728	1,853	44'-1"	13.44	55'-10"	17.01
42	12.8	4248	60,005	1,995	47'-9"	14.55	59'-6"	18.14
42	12.8	4251	64,282	2,137	51'-5"	15.67	63'-2"	19.26
42	12.8	4255	68,559	2,279	55'-1"	16.79	66'-10"	20.36
42	12.8	4259	72,836	2,421	58'-9"	17.91	70'-6"	21.49
42	12.8	4262	77,113	2,564	62'-5"	19.02	74'-2"	22.62
42	12.8	4266	81,390	2,706	66'-1"	20.14	77'-10"	23.71
42	12.8	4270	85,667	2,848	69'-9"	21.26	81'-6"	24.84
42	12.8	4273	89,944	2,990	73'-5"	22.38	85'-2"	25.97
42	12.8	4277	94,221	3,132	77'-1"	23.50	88'-10"	27.07
42	12.8	4281	98,498	3,275	80'-9"	24.61	92'-6"	28.19
42	12.8	4284	102,775	3,417	84'-5"	25.73	96'-2"	29.32
48	14.6	4822*	40,081	1,333	22'-1"	6.73	34'-6"	10.52
48	14.6	4826*	45,668	1,518	25'-9"	7.85	38'-1"	11.61
48	14.6	4829*	51,255	1,704	29'-5"	8.97	41'-10"	12.74
48	14.6	4833*	56,842	1,890	33'-1"	10.08	45'-6"	13.87
48	14.6	4837*	62,429	2,075	36'-9"	11.20	49'-1"	14.97
48	14.6	4840*	68,016	2,261	40'-5"	12.32	52'-10"	16.09
48	14.6	4844*	73,603	2,447	44'-1"	13.44	56'-6"	17.22
48	14.6	4848*	79,190	2,633	47'-9"	14.55	60'-1"	18.32
48	14.6	4851*	84,777	2,818	51'-5"	15.67	63'-10"	19.45
48	14.6	4855*	90,364	3,004	55'-1"	16.79	67'-6"	20.57
48	14.6	4859*	95,951	3,190	58'-9"	17.91	71'-1"	21.67
48	14.6	4862*	101,538	3,376	62'-5"	19.02	74'-10"	22.80
48	14.6	4866*	107,125	3,561	66'-1"	20.14	78'-6"	23.93
48	14.6	4870*	112,712	3,747	69'-9"	21.26	82'-1"	25.02
48	14.6	4873*	118,299	3,933	73'-5"	22.38	85'-10"	26.15
48	14.6	4877*	123,886	4,119	77'-1"	23.50	89'-6"	27.28
48	14.6	4881*	129,473	4,304	80'-9"	24.61	93'-1"	28.38
48	14.6	4884*	135,060	4,490	84'-5"	25.73	96'-10"	29.50
48	14.6	4888*	140,647	4,676	88'-1"	26.85	100'-6"	30.63
54	16.5	5429*	65,894	2,191	29'-5"	8.97	43'-6"	13.26
54	16.5	5433*	72,966	2,426	33'-1"	10.08	47'-2"	14.39
54	16.5	5437*	80,037	2,661	36'-9"	11.20	50'-10"	15.48
54	16.5	5440*	87,109	2,896	40'-5"	12.32	54'-6"	16.61
54	16.5	5444*	94,180	3,131	44'-1"	13.44	58'-2"	17.74


# Brock Wide-Corrugation Commercial Bins/Silos

		Maximum Capacity†					Fill Height	
		(Peaked) Storage		Eave Height				
Diameter		Model Number	Bushels	M <sup>3</sup>	Feet/ Inches	Meters	Feet/ Inches	Meters
Feet	Meters							
54	16.5	5448*	101,252	3,366	47'-9"	14.55	61'-10"	18.84
54	16.5	5451*	108,323	3,601	51'-5"	15.67	65'-6"	19.96
54	16.5	5455*	115,395	3,836	55'-1"	16.79	69'-2"	21.09
54	16.5	5459*	122,466	4,071	58'-9"	17.91	72'-10"	22.19
54	16.5	5462*	129,538	4,307	62'-5"	19.02	76'-6"	23.32
54	16.5	5466*	136,609	4,542	66'-1"	20.14	80'-2"	24.44
54	16.5	5470*	143,681	4,777	69'-9"	21.26	83'-10"	25.54
54	16.5	5473*	150,752	5,012	73'-5"	22.38	87'-6"	26.67
54	16.5	5477*	157,824	5,247	77'-1"	23.50	91'-2"	27.80
54	16.5	5481*	164,895	5,482	80'-9"	24.61	94'-10"	28.90
54	16.5	5484*	171,967	5,717	84'-5"	25.73	98'-6"	30.02
54	16.5	5488*	179,038	5,952	88'-1"	26.85	102'-2"	31.15
54	16.5	5492*	186,110	6,187	91'-9"	27.97	105'-10"	32.25
60	18.3	6029	82,617	2,747	29'-5"	8.97	44'-11"	13.69
60	18.3	6033	91,348	3,037	33'-1"	10.08	48'-7"	14.81
60	18.3	6037	100,079	3,327	36'-9"	11.20	52'-2"	15.91
60	18.3	6040	108,810	3,617	40'-5"	12.32	55'-11"	17.04
60	18.3	6044	117,541	3,908	44'-1"	13.44	59'-7"	18.17
60	18.3	6048	126,272	4,198	47'-9"	14.55	63'-2"	19.26
60	18.3	6051	135,003	4,488	51'-5"	15.67	66'-11"	20.39
60	18.3	6055	143,734	4,779	55'-1"	16.79	70'-7"	21.52
60	18.3	6059	152,465	5,069	58'-9"	17.91	74'-2"	22.62
60	18.3	6062	161,196	5,359	62'-5"	19.02	77'-11"	23.74
60	18.3	6066	169,927	5,649	66'-1"	20.14	81'-7"	24.87
60	18.3	6070	178,658	5,940	69'-9"	21.26	85'-2"	25.97
60	18.3	6073	187,389	6,230	73'-5"	22.38	88'-11"	27.10
60	18.3	6077	196,120	6,520	77'-1"	23.50	92'-7"	28.22
60	18.3	6081	204,851	6,810	80'-9"	24.61	96'-2"	29.32
60	18.3	6084	213,582	7,101	84'-5"	25.73	99'-11"	30.45
60	18.3	6088	222,313	7,391	88'-1"	26.85	103'-7"	31.58
60	18.3	6092	231,044	7,681	91'-9"	27.97	107'-2"	32.67
72	22.0	7229	122,611	4,076	29'-5"	8.97	48'-4"	14.72
72	22.0	7233	135,185	4,494	33'-1"	10.08	52'-0"	15.85
72	22.0	7237	147,759	4,912	36'-9"	11.20	55'-8"	16.98
72	22.0	7240	160,334	5,330	40'-5"	12.32	59'-4"	18.07
72	22.0	7244	172,908	5,748	44'-1"	13.44	63'-0"	19.20

# Brock Wide-Corrugation Commercial Bins/Silos

		Maximum Capacity†						
		(Peaked) Storage		Eave Height		Fill Height		
Diameter		Model Number	Bushels	M <sup>3</sup>	Feet/ Inches	Meters	Feet/ Inches	Meters
Feet	Meters							
72	22.0	7248	185,482	6,166	47'-9"	14.55	66'-8"	20.33
72	22.0	7251	198,056	6,584	51'-5"	15.67	70'-4"	21.43
72	22.0	7255	210,630	7,003	55'-1"	16.79	74'-0"	22.56
72	22.0	7259	223,205	7,421	58'-9"	17.91	77'-8"	23.68
72	22.0	7262	235,779	7,839	62'-5"	19.02	81'-4"	24.78
72	22.0	7266	248,353	8,257	66'-1"	20.14	85'-0"	25.91
72	22.0	7270	260,927	8,675	69'-9"	21.26	88'-8"	27.04
72	22.0	7273	273,501	9,093	73'-5"	22.38	92'-4"	28.13
72	22.0	7277	286,075	9,511	77'-1"	23.50	96'-0"	29.26
72	22.0	7281	298,650	9,929	80'-9"	24.61	99'-8"	30.39
72	22.0	7284	311,224	10,347	84'-5"	25.73	103'-4"	31.49
72	22.0	7288	323,798	10,765	88'-1"	26.85	107'-0"	32.61
75	22.9	7529	134,029	4,456	29'-5"	8.97	48'-8"	14.84
75	22.9	7533	147,673	4,909	33'-1"	10.08	52'-5"	15.97
75	22.9	7537	161,317	5,363	36'-9"	11.20	56'-1"	17.10
75	22.9	7540	174,962	5,817	40'-5"	12.32	59'-8"	18.20
75	22.9	7544	188,606	6,270	44'-1"	13.44	63'-5"	19.32
75	22.9	7548	202,250	6,724	47'-9"	14.55	67'-1"	20.45
75	22.9	7551	215,894	7,178	51'-5"	15.67	70'-8"	21.55
75	22.9	7555	229,538	7,631	55'-1"	16.79	74'-5"	22.68
75	22.9	7559	243,183	8,085	58'-9"	17.91	78'-1"	23.80
75	22.9	7562	256,827	8,538	62'-5"	19.02	81'-8"	24.90
75	22.9	7566	270,471	8,992	66'-1"	20.14	85'-5"	26.03
75	22.9	7570	284,115	9,446	69'-9"	21.26	89'-1"	27.16
75	22.9	7573	297,759	9,899	73'-5"	22.38	92'-8"	28.25
75	22.9	7577	311,404	10,353	77'-1"	23.50	96'-5"	29.38
75	22.9	7581	325,048	10,806	80'-9"	24.61	100'-1"	30.51
75	22.9	7584	338,692	11,260	84'-5"	25.73	103'-8"	31.61
75	22.9	7588	352,336	11,714	88'-1"	26.85	107'-5"	32.74
78	23.8	7829	146,033	4,855	29'-5"	8.97	49'-7"	15.12
78	23.8	7833	160,791	5,346	33'-1"	10.08	53'-4"	16.25
78	23.8	7837	175,549	5,836	36'-9"	11.20	56'-11"	17.34
78	23.8	7840	190,307	6,327	40'-5"	12.32	60'-7"	18.47
78	23.8	7844	205,065	6,818	44'-1"	13.44	64'-4"	19.60
78	23.8	7848	219,823	7,308	47'-9"	14.55	67'-11"	20.70
78	23.8	7851	234,581	7,799	51'-5"	15.67	71'-7"	21.82


# Brock Wide-Corrugation Commercial Bins/Silos

		Maximum Capacity†						
		(Peaked) Storage		Eave Height		Fill Height		
Diameter		Model Number	Bushels	M <sup>3</sup>	Feet/ Inches	Meters	Feet/ Inches	Meters
Feet	Meters							
78	23.8	7855	249,339	8,289	55'-1"	16.79	75'-4"	22.95
78	23.8	7859	264,097	8,780	58'-9"	17.91	78'-11"	24.05
78	23.8	7862	278,855	9,271	62'-5"	19.02	82'-7"	25.18
78	23.8	7866	293,613	9,761	66'-1"	20.14	86'-4"	26.30
78	23.8	7870	308,370	10,252	69'-9"	21.26	89'-11"	27.40
78	23.8	7873	323,128	10,743	73'-5"	22.38	93'-7"	28.53
78	23.8	7877	337,886	11,233	77'-1"	23.50	97'-4"	29.66
78	23.8	7881	352,644	11,724	80'-9"	24.61	100'-11"	30.75
78	23.8	7884	367,402	12,214	84'-5"	25.73	104'-7"	31.88
78	23.8	7888	382,160	12,705	88'-1"	26.85	108'-4"	33.01
90	27.4	9029	200,107	6,653	29'-5"	8.97	53'-0"	16.15
90	27.4	9033	219,757	7,306	33'-1"	10.08	56'-8"	17.28
90	27.4	9037	239,406	7,959	36'-9"	11.20	60'-5"	18.41
90	27.4	9040	259,056	8,612	40'-5"	12.32	64'-0"	19.51
90	27.4	9044	278,706	9,266	44'-1"	13.44	67'-8"	20.63
90	27.4	9048	298,355	9,919	47'-9"	14.55	71'-5"	21.76
90	27.4	9051	318,005	10,572	51'-5"	15.67	75'-0"	22.86
90	27.4	9055	337,654	11,226	55'-1"	16.79	78'-8"	23.99
90	27.4	9059	357,304	11,879	58'-9"	17.91	82'-5"	25.12
90	27.4	9062	376,954	12,532	62'-5"	19.02	86'-0"	26.21
90	27.4	9066	396,603	13,185	66'-1"	20.14	89'-8"	27.34
90	27.4	9070	416,253	13,839	69'-9"	21.26	93'-5"	28.47
90	27.4	9073	435,903	14,492	73'-5"	22.38	97'-0"	29.57
90	27.4	9077	455,552	15,145	77'-1"	23.50	100'-8"	30.69
90	27.4	9081	475,202	15,798	80'-9"	24.61	104'-5"	31.82
90	27.4	9084	494,851	16,452	84'-5"	25.73	108'-0"	32.92
90	27.4	9088	514,501	17,105	88'-1"	26.85	111'-8"	34.05

Continued on page 9.



# Brock Wide-Corrugation Commercial Bins/Silos

		Maximum Capacity†							
		(Peaked) Storage		Eave Height		Fill Height			
Diameter		Model Number	Bushels	M <sup>3</sup>	Feet/ Inches	Meters	Feet/ Inches	Meters	
Feet	Meters								
105	32.0	10529	282,033	9,376	29'-5"	8.97	57'-5"	17.50	
105	32.0	10533	308,780	10,266	33'-1"	10.08	61'-0"	18.59	
105	32.0	10537	335,527	11,155	36'-9"	11.20	64'-8"	19.72	
105	32.0	10540	362,275	12,044	40'-5"	12.32	68'-5"	20.85	
105	32.0	10544	389,022	12,933	44'-1"	13.44	72'-0"	21.95	
105	32.0	10548	415,769	13,822	47'-9"	14.55	75'-8"	23.07	
105	32.0	10551	442,516	14,712	51'-5"	15.67	79'-5"	24.20	
105	32.0	10555	469,264	15,601	55'-1"	16.79	83'-0"	25.30	
105	32.0	10559	496,011	16,490	58'-9"	17.91	86'-8"	26.43	
105	32.0	10562	522,758	17,379	62'-5"	19.02	90'-5"	27.55	
105	32.0	10566	549,505	18,269	66'-1"	20.14	94'-0"	28.65	
105	32.0	10570	576,253	19,158	69'-9"	21.26	97'-8"	29.78	
105	32.0	10573	603,000	20,047	73'-5"	22.38	101'-5"	30.91	
105	32.0	10577	629,747	20,936	77'-1"	23.50	105'-0"	32.00	
105	32.0	10581	656,494	21,826	80'-9"	24.61	108'-8"	33.13	
105	32.0	10584	683,242	22,715	84'-5"	25.73	112'-5"	34.26	

† Maximum Capacity for a bin allows for grain to be at the normal (28-degree) angle of repose, starting one inch (25 mm) below the eave. BROCK® Commercial Stiffened Bins are designed for storage of free-flowing grain products weighing up to 48 lb/ft<sup>3</sup> (769 kg/m<sup>3</sup>), plus a compaction factor of 6%. The grain capacities listed above are based on ASAE Standard: ASAE S413. Bins are designed to meet code requirements for 90 mph (145 km/h) wind zones and seismic zone 1. Standard roof peak capacities vary from 2,500 to 25,000 pounds (1,100 to 11,300 kg) depending on bin diameter. In the pursuit of LEADERSHIP THROUGH INNOVATION®, we reserve the right to change specifications without prior notice.

\* Some commercial bins/silos 48 and 54 feet (14.6 and 16.5 m) in diameter require a temperature cable package to be added during construction if temperature cables are desired.

Because you will customize your grain storage system to your unique needs, not all potentially dangerous or harmful situations can be identified by Brock Grain Systems at the time the bin components and accessories are manufactured. Therefore, it is essential that you think safety first and pay close attention to all possible hazards within your storage systems.